



WE
LIVE IN
PURITY
Purity in Every Drop



Manufactured by :
PZONE ELECTRONICS (P) LTD.
(An ISO 9001 : 2015 Certified Company)

- D/18, Sec-5, Bawana, Ind. Area, Delhi-39
- D/69, Sec-5, Bawana, Ind. Area, Delhi-39
- DE/390, Sec-5, Bawana, Ind. Area, Delhi-39

W : www.pzoner.com
www.pzone.in
E : info@pzoner.com
info@pzone.in

For further Information
SMS 'PZONE' to 53030
Toll free No.
1800-123-168168



redefined
water
from nature



ABOUT WATER

Water... in it's purest form !

Why do we need water?

Water regulates body temperature, moistens oxygen for breathing, protects and cushions vital organs and joints, helps to convert food into energy, helps the body to absorb nutrients, eliminates waste products by metabolism, also cushions the joints, carries nutrients and oxygen to all the cells, helps in blood circulation.

Some Facts

One of the most essential elements that the almighty God gifted, perhaps, only to our planet - Earth, is Water. Water, which is so essential for life, that one can't think of living without it for even a single day. And that might be the reason why our body constitutes of around 75% of water. Water regulates body temperature, moistens oxygen for breathing, protects and cushions vital organ and joints, help to convert food into energy, helps the body to absorb nutrients eliminates waste products by metabolism, carries nutrients and oxygen to all the cells & help in blood circulation. Besides drinking, it has so many uses that we need this nector in the form of water every now and then. Water is used for drinking, cooking, washing, bathing, leaning, construction & other numerous reasons. But the most important part, amongst all, is drinking cooking. And for the purpose one needs water that may be clean, pure odourless & free of contamination.

Director Desk



PZone Electronics Pvt. Ltd., the parent company of Eauguard & Euro Enterprises, was founded in 1997. Since then, with a mission to feel superior quality of Domestic & Commercial RO & its spare parts into the National & International market.

PZone EPL is an ISO 9001-2008, BSCIC NABCB, IMA, NSIC, MSME certified Company approved by Quality Council of India & also member of Water Quality Association. We are also approved by Govt. Of India under the act of Trade Mark Act, 1999 with the name of PZone & Classic Aquafresh.

The name "PZONE" has been synonymous with quality & accuracy since its inception in 2006. We are recognized as a world class exporter of RO Water Purifier with state of the art manufacturing, philosophies, continuous process & refined technical support for our esteemed global customers. Our superior production & testing facilities are decisive in enabling us to maintain a steady quality of our products. Our customers are always assured of the quality of our material, production techniques and best performance throughout the process of our manufacturing, starting from section of raw materials to machining to dispatching of finished goods.



Warm Regards

DIRECTOR


PZONE ELECTRONICS (P) LTD.

Any art is useless without its viewers, and similarly all the manufacturing products are useless until there are its takers. All our dedicated inventions & innovations are the work of inspiration of our esteemed patrons. The result of this can very well be felt by having a look at the widest range of products the company has been handling. At times we become selfish enough to take customer feedback on regular basis from the users of our products & that has always helped us in improving our products & this is followed by an overall drastic growth in the company's financial books.

The goodwill & customer faith earned by the company is neither fake nor fluke. But to prove the point, the company has on its walls, certificates of approval & appraisal for the company's dedicated efforts & quality products, awarded by various concerned authorities.



INDIA



NEPAL
BHUTAN
AFGHANISTAN
OMAN
UGANDA

 ALL INDIA
OUR SERVICE NETWORK

TEAM PZONE

WE SERVE YOU BETTER



TRILOK SINGH CHAUHAN



GYANENDRA BHATT



HARISH



SUNIL



ASMA



KAMLESH



CHINTU



VIRENDER



LUCKY



NADEEM



VIMAL TIWARI
RAJASTHAN



GAURAV MAHAJAN



RANJEET



MANOJ

“Leadership is the capacity to translate vision into reality”

OLIVA

RO+UV+ALKALINE
WATER PURIFIER



Health

“YOUR BODY CRIES FOR
HEALTHY WATER”

“Drink Pure Live More
Stay Active Be Healthy “

Key Features

- Dimension with box : 17.125 x 11.875 x 22 inch.
- Power Supply : Input - 110V to 300V AC
: Output - 24V DC = 2.5 AMP
- Weight : 9.190 Kg Apx.
- 15 Ltr. Storage Tank With Drain Nut.
- Capacity : 18 Ltr./hr.
- Wall Mount.
- 99.99% Foodgrade Virgin Material.
- Zerogap.
- Imported Mould.



with ANTI-BACTERIAL ADD MINERAL

NOVOXL

RO+UV+ALKALINE
WATER PURIFIER




Multi

Key Features

- Dimension with box : 17.5 x 11 x 23.25 inch.
- Power Supply : Input - 110V to 300V AC
: Output - 24V DC = 2.5 AMP
- Weight : 8.070 Kg Apx.
- 12 Ltr. Storage Tank With Drain Nut.
- Capacity : 15 to 18 Ltr./hr.
- Wall Mount.
- 99.99% Food grade Virgin Material.
- Detachable Display Window For LED, Online TDS Meter,
- Computerise Screen Optional.
- Zerogap.
- Imported Mould.



ANTIOXIDANT ALKALINE ANTIBACTERIAL FILTER FOR POST TREATMENT OF WATER PURIFIER.



GLAD

RO+ALKALINE
WATER PURIFIER



Key Features


- Dimension with box : 420 x 260 x 570 (mm)
- Power Supply : Input - 110V to 300V AC
: Output - 24V DC = 2.5 AMP
- Weight : 9.190 Kg Apx.
- 9 Ltr. Storage.
- Capacity : 12Ltr./hr
- Wall Mount.
- 99.9% Foodgrade Virgin Material.
- Zerogap.
- Imported Mould.



Clean

Cleanliness brings happiness
but dirt makes us hurt.

Cleanliness is the way for good
health and happiness.



OSSUM

RO+UV+ALKALINE
WATER PURIFIER



- Add Minerals
- pH. Enhancer

- Remove Free Radicals
- Decrease NMR

- Remove Bacteria-Virus
- Reduce ORP



Purity

Key Features

- Dimension with box : 420 x 572 x 235 (mm)
- Power Supply : Input - 110V to 300V A
: Output - 24V DC = 2.5 AMP
- Weight : 9.190 Kg Apx.
- 13 Ltr. Storage Tank With Drain Nut.
- Capacity : 15 Ltr./hr.
- Water Quality : 1500 ppm (TDS Max.)
- Wall Mount.
- 99.9% Foodgrade Virgin Material.
- Zerogap.
- Imported Mould.

ANTIOXIDANT ALKALINE ANTIBACTERIAL FILTER FOR POST TREATMENT OF WATER PURIFIER.

Negative Ion ORP Ball	Alkaline Ball	FRI Mineral Ball	Antibacterial Ball	Taste enhancer Ball	Taumarline Ball	Silver Impregnated Activated Carbon

pH & Minerals Controller

XCENT GOLD



PZONE RO filtration improves taste, odor and appearance of water by removing contaminants that cause taste and odor problems.

RO+UV+ALKALINE WATER PURIFIER

Key Features

- Dimension with box : 420 x 572 x 235 (mm)
- Power Supply : Input - 110V to 300V A
: Output - 24V DC = 2.5 AMP
- Weight : 9.190 Kg Apx.
- 12 Ltr. Storage Tank With Drain Nut.
- Capacity : 15 Ltr./hr.
- Wall Mount.
- 99.9% Foodgrade Virgin Material.
- Zerogap.
- Imported Mould.



with ANTI-BACTERIAL



ADD MINERAL

MAGNA PURE

PURE WATER IS THE WORLD'S FIRST AND FOREMOST MEDICINE.
“RIGHT TO DRINK PURE WATER FOR EVERYONE”

Key Features

- Dimension with box : 17.3 x 9.8 x 24 inch.
- Power Supply
: Input - 110V to 300V AC
: Output - 24V DC = 2.5 AMP
- Weight : 8.070 Kg Apx.
- Capacity : 15 to 18 Ltr./hr.
- 14 Ltr. Storage Tank
- Water Quality : 1800 ppm (TDS Max)
- Wall Mount.
- Foodgrade Virgin Material.



Xpure

RO+UV+ALKALINE
WATER PURIFIER



PZONE RO systems remove pollutants from water including nitrates, pesticides, sulfates, fluoride, bacteria, pharmaceuticals, arsenic and much more through multistage Pzone RO Water Purifier.

Key Features

- Dimension with box : 15.5 x 11.6 x 21 inch.
- Power Supply : Input - 110V to 300V AC : Output - 24V DC = 2.5 AMP
- Weight : 8.070 Kg Apx.
- Capacity : 15 to 18 Ltr./hr.
- 14 Ltr. Storage Tank.
- Water Quality : 1800 ppm (TDS Max.)
- Wall Mount.
- Foodgrade Virgin Material.



clear, great tasting water



environmental protection

Jio

RO+ALKALINE
WATER PURIFIER




Key Features

- Dimension with box : 445 x 280 x 625 (mm)
- Power Supply : Input - 110V to 300V AC : Output - 24V DC = 2.5 AMP
- Weight : 9.190 Kg Apx.
- 12 Ltr. Storage
- Capacity : 12 Ltr./hr.
- Wall Mount.
- 99.9% Foodgrade Virgin Material.
- Zerogap.
- Imported Mould.



ADD MINERAL



with ANTI-BACTERIAL

crystal-x

RO+ALKALINE

WATER PURIFIER

Key Features

- Dimension with box :350 x 315 x 455 (mm)
- Power Supply
: Input - 110V to 300V AC
: Output - 24V DC = 2.5 AMP
- Weight : 8 Kg Apx.
- Capacity : 12 Ltr./hr.
- 9 Ltr. Storage Tank
- Water Quality : 1800 ppm (TDS Max.)
- Wall Mount.
- Foodgrade Virgin Material



clear, great
tasting water



environmental
protection

pzone novo



Key Features

- Dimension with box :17.5 x 11 x 23.35 inch
- Power Supply
: Input - 110V to 300V AC
: Output - 24V DC = 2.5 AMP
- Weight : 8070 Kg Apx.
- Capacity : 15 to 18 Ltr./hr.
- 9 Ltr. Storage Tank
- 99.9% Food grade Virgin Material.
- Detachable Display Window For LED, Online TDS Meter.
- Computerise Screen Optional
- Zerogap.
- Imported Mould.



with ANTI-BACTERIAL



ADD MINERAL

CEILING FAN



Megatech



Turbo



Nikola

- Powder Coated
- Heavy Motor
- Computerized Tested

Electric Iron



Samta



Supreme

Mixer Grinder



Model : PZ-1
Powerful Motor : 750 Watts



Model : PZ-2
Powerful Motor : 500 Watts

Mineral Pot



SPARE PARTS



Pzone Membrane
80/100/4040
GPD



Membrane Housing
Single O Ring / Double O Ring



Concealed Membrane Housing



Always Pump
50/75/100
GPD



MAXIMA Pump
MODEL : CS 5080
Ti-100



Full Heavy
470gm



Semi Heavy
364 gm



ABS
164 gm



JKO Normal
162 gm



Pzone
Inline Sediment



Multi Pure / Glad
Inline Sediment



Pre-Housing
Double Oring Single Oring



DC-Chock
24 Volt



AC-Chock
220 Volt



SMPS
24 Volt, 2.5 AMP



Pzone SV
24 Volt



4" UF
FILTER



Mineral Cartridge
for Mineral Pot



PP Cartridge
for Mineral Pot



Bio AAA + Alkaline Filter



Pipe Roll



X/C
CLAMP

RO PLANTS

Domestic Plants



HOT & COLD
RO Dispenser



25 LPH
RO Plant



50 LPH RO
Plant

Water Cooler with RO



SS2020
RO Capacity : 25 Ltrs.



SS4080
RO Capacity : 80 Ltrs.

Commercial RO Plants



50 LPH
RO Plant
Covered



RO PLANT
250 LPH

RO PLANT
500 LPH



RO PLANT
1000 LPH

S.S. STAND

25 to 2000 LPH.





Advertisement materials



About Reverse Osmosis Membrane


Reverse osmosis is a process in which water is forced through a semi-permeable membrane by applying very strong pressure to the feed - water side of the RO membrane, enabling the water molecules to pass through the membrane to other side. The diameter of the pores or apertures of the high technology RO membrane is 0.0001 micron. This permits only the passage of the water molecule while micro-organism and other solid or dissolved pollutants in the water are denied entry and hence effectively eliminated. The water produces is thus 99.99% pure.



When More Than 70% of our Body Consists of Water

How can we afford to ignore the quality of water we consume daily in various forms.

- water plays a vital role in maintaining & regulating our body system through various natural processes, v.i.z.
- Detoxifying
 - Supporting Digestive Process
 - Controlling Body Temperature
 - Lubricating Joints in the skeletal system.
 - Facilitating Metabolism.



CONTAMINATION & LIKELY DISEASES CAUSED	Impurities/chemicals removing quality of different processes					
	Reverse Osmosis	Activated Carbon	Pre Filter	Ozonation	Boiling	UV
Lead (Mental Sickness)	✓	×	×	×	×	×
Mercury (Pain)	✓	×	×	×	×	×
Bacteria (Bacterial Diseases)	✓	×	×	✓	✓	✓
Pyrogen (Fever)	✓	×	×	×	×	×
Virus (Viral Disease)	✓	×	×	×	×	×
Arsenic (Poisoning)	✓	×	×	×	×	×

ELECTROLYTIC DISSOCIATION vis-a-vis TDS (IS:3025 part-16)
(Indicative Water Quality)



Which glass is your's ?

Multi Stage of PZONE Novo XL & Xcent Gold RO Water Purifier

FIRST STAGE- Sediment filter 5micron made of polypropylene spun fiber removes suspended impurities in water like sand, dirt, dust, silt providing first, line protection for the whole system.

SECOND STAGE - Antiscalant - An antiscalant is a pretreatment injection into the feed water before the feed water enters the RO membrane. The presence delays the reaction between calcium, Magnesium and Bi-carbonate. The result is scale not forming as the water is being purified by the RO As the duration of the water in the membranes system is relatively short during the treatment, scale formation is prevented.

THIRD STAGE- Sediment P.P cartridge 1 micron. Removes fine dirt, dust much better.


FOURTH STAGE - Magnetic softener - is the study of the effects of magnetic energy on fluids. Michael faraday discovered that water flowing past a conductive material will generate a weak electrical charges. This discovery, that was made over 120 years ago, is the flowing past hydrogen. These three atoms are bonded together by what is called a Covalence Bond. That means that the oxygen atom shares two of it's electron with the Hydrogen Atoms. This structure forms what is called a dipole molecule.

How the Technology Works - As water passes through the "PZONE's" magnetic force field, the minerals crack under mega-rapid bombardment of the minerals in liquid, so that they fracture /abrade into hundred of minute micro -mineral particles, balancing the positive and negative charges. Thus, "Naturally soft water" that has regained it's "life force /energy" improves the use of ordinary magnets. The magnets are removes chlorine, colour and another either outside or inside a water pipe. The use of ordinary magnets .The magnets are mounted opposite one other organic impurities.

FIFTH STAGE- Granular carbon pre-filter removes Chlorine, Colour and other organic impurities.

SIXTH STAGE- RO membrane eliminates 90-95.6% of all Dissolved impurities harmful substance in water, as well as completely eliminating algae, bacteria and viruses.

SEVENTH STAGE- In line post carbon filter improves the taste of water + 5 Stage Alkaline.



Some Major Customers of our Company

- Indian Medical Association (IMA)
- Shri Rajnath Singh (Sr. BJP Leader & Home Minister Of India)
- Crime Branch (Delhi)
- Department of Delhi Police
- Bhilai Steel Plant (Chattisgarh)
- Bokaro Steel Plant (Jharkhand)
- Municipal Corporation of Delhi (North)
- STATE BNK OF INDIA
- AIIMS
- YES BANK
- AXIS BANK
- ICICI BANK
- HDFC BANK
- INDIAN RAILWAY
- Holy Child Public School (Delhi)
- Delhi Metro Rail Corporation
- Indian Public School
- Income-Tax Department (Delhi)
- Red Chilli Green Chilli Restaurant (Haldwani)
- Department of Uttarakhand Police (Haldwani)
- Larsen & Toubro
- Indian Oil Corporation
- Central Vigilance Commission.
- DAV Public School (Orissa)
- Department of Telecommunication (Odisha)
- Central Industrial Security Force (Ministry of Home Affairs, Govt. of India)
- Central School (Orissa)
- Adarsh Engineer College (Orissa)
- Nagar Nigam Bhilai (Water ATM Plant)

Some Major Suppliers of our Company

